

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO. FILING DATE		LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/709,637 05/19/2004		05/19/2004	Ting-Jui Chang	11121-US-PA	3636	
31561	7590	08/23/2005		EXAMINER		
		TELLECTUAL PR	CHIEN, LUCY P			
7 FLOOR-1, ROOSEVEL		SECTION 2	ART UNIT	PAPER NUMBER		
· · · · · · · · · · · · · · · · · · ·	00		2871	:		
TAIWAN				DATE MAILED: 08/23/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No	. App	licant(s)	
	Office Astion Commence	10/709,637	CHA	NG, TING-JUI	(pM
	Office Action Summary	Examiner	Art	Jnit	
		Lucy P. Chien	2871		
Period fo	The MAILING DATE of this communication or Reply	n appears on the cove	r sheet with the corres	pondence address	•
THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR R MAILING DATE OF THIS COMMUNICATI nsions of time may be available under the provisions of 37 C SIX (6) MONTHS from the mailing date of this communication of period for reply specified above is less than thirty (30) days, to period for reply is specified above, the maximum statutory provided for reply within the set or extended period for reply will, by reply received by the Office later than three months after the ed patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, hown, a reply within the statutory moeriod will apply and will expire statute, cause the application	vever, may a reply be timely filed inimum of thirty (30) days will be a SIX (6) MONTHS from the mai to become ABANDONED (35 U	d e considered timely. Iling date of this communical J.S.C. § 133).	ition.
Status					
1)[	Responsive to communication(s) filed on	·			
2a) <u></u>		This action is non-fir	ıal.		
3)□	Since this application is in condition for all closed in accordance with the practice un				is is
Disposit	ion of Claims				
4)⊠ 5)□ 6)⊠ 7)□	Claim(s) 1-8 is/are pending in the applicate 4a) Of the above claim(s) is/are with Claim(s) is/are allowed.  Claim(s) 1-8 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction as	hdrawn from conside			
Applicat	ion Papers				
9)	The specification is objected to by the Exa	miner.			
10)🖂	The drawing(s) filed on 19 May 2004 is/are	e: a)⊠ accepted or l	o) ☐ objected to by the	Examiner.	
	Applicant may not request that any objection to	o the drawing(s) be hele	in abeyance. See 37 C	FR 1.85(a).	
11)	Replacement drawing sheet(s) including the control of the control				
Priority (	under 35 U.S.C. § 119				
12)⊠ a)	Acknowledgment is made of a claim for for All b) Some * c) None of:  1. Certified copies of the priority docur 2. Certified copies of the priority docur 3. Copies of the certified copies of the application from the International Bustee the attached detailed Office action for a	ments have been rec ments have been rec priority documents h ureau (PCT Rule 17.	eived. eived in Application No ave been received in t 2(a)).	D	
Attachmen	t(s)	•			
	e of References Cited (PTO-892)	4)	Interview Summary (PTO-	413)	•
3) 🔲 Infon	e of Draftsperson's Patent Drawing Review (PTO-94 mation Disclosure Statement(s) (PTO-1449 or PTO/S r No(s)/Mail Date		Paper No(s)/Mail Date Notice of Informal Patent A Other:		

Application/Control Number: 10/709,637

Art Unit: 2871

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

Claim 1-4,6,8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakamoto (US 5734177) in view of Yamakita et al (US 20020105613).

Sakamoto discloses (Figure 1) a base plate (not shown but in Abstract) a plurality of gate lines (6m or 11)(Figure 1 shows one pixel, second pixel would be right next to it which would show the 2<sup>nd</sup> gate line, this pertains to the rest of "plurality" lines claimed) disposed over the base plate, plurality of data lines (17) disposed over the base plate, wherein a pixel area (23) is formed between any two adjacent gate line (6m or 11) and any two adjacent data line (17), a plurality of active devices (8,5,9) disposed over the base plate, wherein each active evice (8,5,9) is formed in an intersection region between the gate line (6m or 11) and data line (17) and electrically connected to corresponding gate line (6m or 11) and data line (17), a plurality of storage capacitors (Abstract) has an upper electrode (11) having at least a first aperture (19) And a plurality of pixel electrodes (11) disposed over the pixel area (23), wherein each the pixel electrodes (11) is respectively electrically connected to the corresponding active device (8,5,9) and the corresponding upper electrode (Column 10, Row 19-22).

Sakamoto does not teach the direction of the electric field adjacent to the first aperture being at a predetermined angle to an alignment direction of the liquid crystal molecules, the liquid crystal layer possessing a transition from a splay state to a bend state.

Yamakita et al discloses (Figure 4a and 4b) the direction of the electric field adjacent to the first aperture being at a predetermined angle to an alignment direction of the liquid crystal molecules, the liquid crystal layer possessing a transition from a splay (Figure 4a) state to a bend state (Figure 4b). The response speed of the liquid crystal of the OCB-mode liquid crystal display panel is significantly improved compared to the Twisted nematic liquid crystal. (Page 1, [0010])

It would have been obvious to one skilled in the art to modify Sakamoto's display to include Yamakita et al's splay state to bend state motivated to improve the operation of the response speed of the liquid crystal of the OCB-mode liquid crystal display panel. (Page 1, [0010])

## Regarding Claim 2,

In addition to Sakamoto and Yamakita et al as disclosed above, Sakamoto discloses (Figure 1) the gate lines (6m) are formed in parallel over the base plate and the data lines (11) are formed in parallel over the base plate and the gate lines are perpendicular to the data lines (11) formed in order to complete the liquid crystal display.

#### Regarding Claim 3,

In addition to Sakamoto and Yamakita et al as disclosed above, the active devices (Figure 1) comprise thin film transistors (8,5,9).

## Regarding Claim 4,

In addition to Sakamoto and Yamakita et al as disclosed above, Sakamoto discloses (Figure 1) the pixel electrodes (11) comprise transparent electrodes (Column 5, Row 40-47).

#### Regarding Claim 6,

In addition to Sakamoto and Yamakita et al as disclosed above, Sakamoto discloses (Figure 1) wherein the upper electrode is disposed over a portion of the gate line occupied area to form a storage capacitor (Abstract).

#### Regarding Claim 8,

In addition to Sakamoto and Yamakita et al as disclosed above, Sakamoto discloses (Figure 1) wherein each of the pixel electrodes further comprises at least a second aperture when the first aperture is located underneath the pixel electrode and the second aperture is formed above the first aperture.

Claim 5,7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakamoto (US 5734177) and of Yamakita et al (US 20020105613) in view of Katayama (US 6100947).

#### Regarding Claim 5,

Sakamoto and Yamakita et al do not disclose the use of a reflective electrode.

Katayama discloses the use of a reflective electrode to prevent light leakage. (Column 10, Rows 42-60).

Application/Control Number: 10/709,637 Page 5

Art Unit: 2871

It would have been obvious to one skilled in the art to modify Sakamoto's display and Yamakita et al's splay state to bend state to include Katayama's reflective electrode to prevent light leakage. (Column 10, Rows 42-60).

### Regarding Claim 7,

Sakamoto and Yamakita et al do not disclose the use of common lines.

Katayama discloses the use of common lines formed between gate lines and upper electrode is disposed over a portion of the common line occupied are to form a storage capacitor which stabilizes the charge storage functions of the storage capacitors.

(Column 10, Rows 42-60)

It would have been obvious to one skilled in the art to modify Sakamoto's display and Yamakita et al's splay state to bend state to include Katayama's common line motivated to stabilizes the charge storage functions of the storage capacitors. (Column 10, Rows 42-60)

Application/Control Number: 10/709,637 Page 6

Art Unit: 2871

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lucy P. Chien whose telephone number is 571-272-8579. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571)272-2293. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lucy Chien Examiner Art Unit 2871 LC

ROBERT KIM SUPERVISORY PATENT EXAMINER